

RESULT LIST

26 results found in the Worldwide database for:
relational in the title AND **space** in the title or abstract
 (Results are sorted by date of upload in database)

- 11 Generating one or more XML documents from a relational database using XPath data model**
 Inventor: CHAU HOANG K (US); CHENG ISAAC KAM- CHAK (US); (+5) Applicant: IBM (US)
 EC: G06F17/30S1 IPC: G06F7/00; G06F17/30; G06F7/00 (+2)
 Publication info: **US2003014397** - 2003-01-16
- 12 Storing fragmented XML data into a relational database by decomposing XML documents with application specific mappings**
 Inventor: CHAU HOANG K (US); CHENG ISAAC KAM- CHAK (US); (+5) Applicant: IBM (US)
 EC: G06F17/30S1 IPC: G06F7/00; G06F17/30; G06F7/00 (+2)
 Publication info: **US2002133484** - 2002-09-19
- 13 Personal digital assistant for storing/processing relational databases, comprises copying field key format information from first to second table descriptors and establishing links between tables**
 Inventor: VERGNAUD ERIC Applicant: PENBASE (FR)
 EC: G06F17/30S1R IPC: G06F15/02; G06F17/30; G06F15/02 (+3)
 Publication info: **FR2833095** - 2003-06-06
- 14 Method and system for efficiently searching for free space in a table of a relational database having a clustering index**
 Inventor: CRANSTON LESLIE A (CA); HING NELSON HOP (CA); (+3) Applicant: IBM (US)
 EC: G06F17/30S1 IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/30
 Publication info: **US6668263** - 2003-12-23
- 15 DEVICE FOR MANAGING SPACE-ATTRIBUTE DATA BY USING SPACE INDEX IN RELATIONAL DATABASE**
 Inventor: KIM MIN SU (KR); LEE GI WEON (KR); (+2) Applicant: KOREA ELECTRONICS TELECOMM
 EC: IPC: G06F17/00; G06F17/00; (IPC1-7): G06F17/00
 Publication info: **KR2000038114** - 2000-07-05
- 16 METHOD FOR EFFICIENTLY SEARCHING FREE SPACE IN A RELATIONAL DATABASE**
 Inventor: WINER MICHAEL J (CA); HOP HING NELSON (CA); (+4) Applicant: IBM CANADA (CA)
 EC: G06F17/30S1 IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/30
 Publication info: **CA2249080** - 2000-03-25
- 17 Specifying indexes by evaluating costs savings for improving operation in relational databases**
 Inventor: LENZIE ROBERT STEPHEN (GB) Applicant: BRITISH TELECOMM (US)
 EC: G06F17/30H6; G06F17/30T IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/30
 Publication info: **US6182079** - 2001-01-30
- 18 Method, apparatus and programmed medium for approximating the data cube and obtaining approximate answers to queries in relational databases**
 Inventor: POOSALA VISWANATH (US); GANTI VENKATESH (US) Applicant: LUCENT TECHNOLOGIES INC (US)
 EC: G06F17/30H; G06F17/30S1 IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/30
 Publication info: **US6108647** - 2000-08-22
- 19 Optimization of queries using relational algebraic theta-semijoin**

operator

Inventor: SRIVASTAVA DIVESH (US); STUCKEY PETER J **Applicant:** LUCENT TECHNOLOGIES INC (US)
(AU); (+1)

EC: G06F17/30H6

IPC: **G06F17/30; G06F17/30;** (IPC1-7): G06F17/30

Publication Info: **US6032144** - 2000-02-29

**20 Relational database system and method for query processing using
early aggregation**

Inventor: LARSON PER-AAKE (US)

Applicant: MICROSOFT CORP (US)

EC: G06F17/30S1R

IPC: **G06F17/30; G06F17/30;** (IPC1-7): G06F17/30

Publication info: **US6115705** - 2000-09-05


Data supplied from the esp@cenet database - Worldwide

Method, system, and program for recovery of a reverse restore operation**Patent number:** US2004260897**Publication date:** 2004-12-23**Inventor:** SANCHEZ MATTHEW (US); BROWN THERESA MARY (US); WERNER SAM CLARK (US); SPEAR GAIL ANDREA (US)**Applicant:****Classification:****- international:** G06F12/16; G06F12/16; (IPC1-7): G06F12/16**- european:****Application number:** US20030465069 20030618**Priority number(s):** US20030465069 20030618

Report a data error here

Abstract of US2004260897

Disclosed is a technique for processing interruption of an operation that transfers data between a source and a target. An indication that a reverse restore operation has been interrupted is received. It is determined whether designation of at least one of an original source and an original target has been reversed. The settings of one or more relation indicators are also determined. Processing to be performed is identified based on the determinations of whether designations have been reversed and based on the settings of the one or more relation indicators.



Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

11 results found in the Worldwide database for:
database in the title AND **drop** in the title or abstract
 (Results are sorted by date of upload in database)

- 1 Relational database schema version management**
 Inventor: TAMMA LEELA S (US); VITALDEVARA KRISHNA (US)
 EC: IPC: **G06F9/445; G06F9/445; (IPC1-7): G06F9/445**
 Applicant: MICROSOFT CORP
 Publication info: **US2005198630** - 2005-09-08
- 2 Method for inserting digital watermarking to relation database and extracting it from the same**
 Inventor: LI DEYI ZHANG (CN)
 EC: IPC: **G06F17/30; G06F17/30; (IPC1-7): G06F17/30**
 Applicant: NO 61 INST OF HEADQUARTERS OF (CN)
 Publication info: **CN1547138** - 2004-11-17
- 3 DATABASE SYSTEM, PROGRAM, AND RECORDING MEDIUM**
 Inventor: YAMAMOTO MITSUSHIGE; NAGATA HIROSHI; Applicant: DAINIPPON PRINTING CO LTD (+1)
 EC: IPC: **G06F3/00; G06F12/00; G06F3/00 (+3)**
 Applicant: DAINIPPON PRINTING CO LTD
 Publication info: **JP2005092569** - 2005-04-07
- 4 DATABASE MANAGEMENT SYSTEM AND MANAGEMENT SERVER**
 Inventor: SUGANO NOBUAKI
 EC: IPC: **G06F12/00; G06F12/00; (IPC1-7): G06F12/00**
 Applicant: YAMATAKE CORP
 Publication info: **JP2004240539** - 2004-08-26
- 5 METHOD FOR DISPLAYING RELATIONAL DATABASE STRUCTURE IN TREE DIAGRAM**
 Inventor: NAGAMORI NOBUHIKO
 EC: IPC: **G06F12/00; G06F17/30; G06F12/00 (+3)**
 Applicant: NAGAMORI NOBUHIKO
 Publication info: **JP2004164363** - 2004-06-10
- 6 Dropped database table recovery**
 Inventor: HURAS MATTHEW ALBERT (CA); MCINNIS DALE M (CA); (+3)
 EC: G06F17/30S1 IPC: **G06F12/00; G06F17/30; G06F12/00 (+2)**
 Applicant: IBM (US)
 Publication info: **US6684225** - 2004-01-27
- 7 Methods and apparatus for using multimedia data stored in a relational database in web applications**
 Inventor: DIAMOND DAVID LANE (US); JANOSIK JR JOHN LOUIS (US); (+2)
 EC: G06F17/30E; G06F17/30W7L IPC: **G06F17/30; G06F17/30; (IPC1-7): G06F15/16**
 Applicant: ORACLE INT CORP (US)
 Publication info: **US6591295** - 2003-07-08
- 8 Method and apparatus for recovering the definitions of dropped database objects**
 Inventor: RUDDY JAMES A (US)
 EC: IPC: **G06F12/00; G06F12/00; (IPC1-7): G06F12/00**
 Applicant: IBM (US)
 Publication info: **US6792435** - 2004-09-14
- 9 DATABASE SYSTEM AND DATABASE UPDATING METHOD**
 Inventor: NAKAMURA SATOSHI
 EC: IPC: **G06F12/00; G06F17/30; G06F12/00 (+3)**
 Applicant: SHARP KK
 Publication info: **JP11053242** - 1999-02-26
- 10 Method and system for database access**
 Inventor: BERGERON LOUISE M (US); KLEIN MARK P
 EC: IPC: **G06F12/00; G06F12/00; (IPC1-7): G06F12/00**
 Applicant: IBM (US)

(US); (+1)

EC: G06F17/30H4

IPC: **G06F17/30; G06F17/30**; (IPC1-7): G06F15/00

Publication Info: **US6246410** - 2001-06-12

Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

Approximately **73** results found in the Worldwide database for:
tables in the title AND **drop** in the title or abstract
 (Results are sorted by date of upload in database)

- 1 SLIDE ASSEMBLY FOR DROP LEAF EXTENSION TABLES**
Inventor: COOPER JOSEPH Applicant: COOPER JOSEPH
EC: IPC:
Publication info: CA581417 - 1959-08-18
- 2 Improvements in or relating to Folding Tables**
Inventor: SANCHEZ PASCUAL JOSE MARIA OSC (ES) Applicant: SANCHEZ PASCUAL JOSE MARIA OSC (ES)
EC: A47B1/04 IPC: A47B1/04; A47B1/00
Publication info: GB1168435 - 1969-10-22
- 3 Water supply method for roller tables for plants, has water supplied to row of roller tables via interconnected drop hoses**
Inventor: STEKELENBURG PHILIPPUS HENRICU (NL); Applicant: MDK PLANTS & DECORATIONS B V (NL)
DUIJVESTIJD MARCELINUS HENDRI (NL)
EC: A01G9/24F IPC: A01G9/24; A01G9/24; (IPC1-7): A01G9/24
Publication info: NL1021240C - 2004-02-10
- 4 METHOD FOR MAINTAINING EXCEPTION TABLES FOR A CHECK UTILITY**
Inventor: ISIP AMANDO B JR Applicant: COMPUTER ASS THINK INC (US)
EC: G06F17/30H IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/30
Publication info: WO0025236 - 2000-05-04
- 5 METHOD AND DEVICE FOR DISTRIBUTEDLY ARRANGING COUNTER TABLES**
Inventor: ISHIMODA GEN Applicant: N T T DATA KK
EC: IPC: G06F12/00; G06F17/30; G06F12/00 (+3)
Publication info: JP11085593 - 1999-03-30
- 6 CONTAINER FOR CLEARING SMALL DINING TABLES**
Inventor: MATSUI FUMIO Applicant: MATSUI FUMIO
EC: IPC: A47G23/00; A47G23/00; (IPC1-7): A47G23/00
Publication info: JP10276886 - 1998-10-20
- 7 User interface for managing media spanning for database tables**
Inventor: LI SHIH-GONG (US); SHRADER THEODORE Applicant: IBM (US)
JACK LONDON (US)
EC: G06F3/033A1 IPC: G06F3/033; G06F3/033; (IPC1-7): G06F3/033
Publication info: EP0690367 - 1996-01-03
- 8 Ink jet printing density controller with programmable angle of travel look-up tables for a plotter**
Inventor: SPINAR BRIAN L (US); LENGUEL SANDOR I Applicant: CALCOMP INC (US)
(US)
EC: G01D9/40; G01D15/18 IPC: G01D9/40; G01D15/18; G01D9/00 (+3)
Publication info: US5126754 - 1992-06-30
- 9 Hinge-clamp mechanism for drop-leaf tables.**
Inventor: SULLIVAN HENRY FRANK Applicant: NAVILLUS INC (US)
EC: A47B1/04 IPC: A47B1/04; A47B1/00; (IPC1-7): A47B1/04
Publication info: EP0170522 - 1986-02-05
- 10 TABLES FOR TOURING CARAVANS**
Inventor: Applicant: HILL F; HILL M
EC: A47C17/80 IPC: A47C17/80; A47C17/00; (IPC1-7): A47C17/62

Publication info: **GB1527819** - 1978-10-11

Data supplied from the *esp@cenet* database - Worldwide

RESULT LIST

Approximately **759** results found in the Worldwide database for:
data in the title AND **drop** in the title or abstract
 Only the first **500** results are displayed.
 (Results are sorted by date of upload in database)

- 1 METHOD AND APPARATUS FOR DATA TRANSMISSION ON A REVERSE LINK IN A COMMUNICATION SYSTEM.**
 Inventor: JEAN PUT LING AU (US) Applicant: QUALCOMM INC (US)
 EC: H04L1/00A1 IPC: **H04L1/00; H04L1/00; (IPC1-7): 04L01/00A**
 Publication info: **MXPA05006678** - 2005-09-30
- 2 DISK ARRAY APPARATUS AND DATA RELAY METHOD OF THE DISK ARRAY APPARATUS**
 Inventor: MATSUSHIGE HIROMI (JP); SUZUKI HIROSHI Applicant:
 (JP); (+1)
 EC: IPC: **G06F12/00; G06F3/06; G06F3/06 (+1)**
 Publication info: **US2006075188** - 2006-04-06
- 3 Traffic reduction in networked data collection**
 Inventor: OLIVER MICHAEL S (US); PANDOLFI ALFRED Applicant: AMS SERVICES INC (US)
 F (US)
 EC: IPC: **G06F3/00; G06F9/00; G06F15/00 (+11)**
 Publication info: **US7010503** - 2006-03-07
- 4 Hybrid data transport scheme over optical networks**
 Inventor: JHA PANKAJ K (US) Applicant: CYPRESS SEMICONDUCTOR CORP (US)
 EC: IPC: **H04J3/04; H04J3/04**
 Publication info: **US6999479** - 2006-02-14
- 5 Pattern data producing device for sewing machine and pattern data producing control program**
 Inventor: HIRATA TAKASHI (JP); IIDA YUJI (JP); (+1) Applicant: BROTHER IND LTD (JP)
 EC: IPC: **D05B19/00; D05B19/00**
 Publication info: **US2006027153** - 2006-02-09
- 6 METHOD AND APPARATUS FOR DATA COLLECTION AND KNOWLEDGE MANAGEMENT.**
 Inventor: NGO OHU THEIN (US) Applicant: NGUYEN THANH NGOC (US)
 EC: G06F17/30H4; G06F17/30W1 IPC: **G06F17/30; G06F17/30; (IPC1-7): G06F17/30**
 Publication info: **MXPA02012251** - 2004-08-12
- 7 Wireless bar code symbol driven portable data terminal (PDT) system adapted for single handed operation**
 Inventor: SCHMIDT MARK (US); RUSSELL GARRETT K Applicant: METROLOGIC INSTR INC (US)
 (US); (+7)
 EC: IPC: **G06K7/10; G06K7/10; (IPC1-7): G06K7/10**
 Publication info: **US6976626** - 2005-12-20
- 8 Method and apparatus for discarding data packets through the use of descriptors**
 Inventor: ACHILLES HEATHER (US); PEARSON TERRY Applicant: NORTEL NETWORKS LTD (CA)
 (US); (+2)
 EC: IPC: (IPC1-7): H04L12/26
 Publication info: **US6977894** - 2005-12-20
- 9 Radio data communication apparatus and radio data communication method**
 Inventor: KIKUCHI TSUNEYUKI (JP) Applicant: NIPPON ELECTRIC CO (JP)
 EC: H04B1/16A2; H04Q7/32D IPC: **H04B1/16; H04Q7/32; H04B1/16 (+2)**

Publication info: **US6970710** - 2005-11-29

10 PERFORMANCE CONTROL DATA EDITING DEVICE AND PROGRAM

Inventor: GOTO MICHIIHIKO

Applicant: YAMAHA CORP

EC:

IPC: (IPC1-7): G10H1/00

Publication info: **JP2005316195** - 2005-11-10

Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

1 result found in the Worldwide database for:

datastructure in the title

(Results are sorted by date of upload in database)

1 Method for storing register properties in a datastructure and related datastructure

Inventor: GOETHALS DIRK GEORGE CYRIEL (BE)

Applicant: CIT ALCATEL (US)

EC: G01R31/3185P; G01R31/3193S; (+1)

IPC: **G01R31/3185; G01R31/3193; G06F11/22**
(+4)

Publication info: **US2004153820** - 2004-08-05

Data supplied from the **esp@cenet** database - Worldwide